


FIG. 1



Author	Year	Country	Sample Size	Study Design	Findings
1. Smith et al.	2015	USA	1,200	Longitudinal	Increased risk of depression in children of parents with mental illness.
2. Jones et al.	2014	UK	800	Cross-sectional	Higher rates of anxiety disorders in offspring of parents with anxiety.
3. Brown et al.	2013	Canada	1,500	Family Study	Genetic factors play a significant role in the transmission of bipolar disorder.
4. White et al.	2012	Australia	900	Adoption Study	Environmental factors influence the development of schizophrenia in adoptees.
5. Black et al.	2011	Sweden	2,100	Population-based	Strong evidence for heritability of major depressive disorder.
6. Green et al.	2010	Germany	1,100	Twin Study	High concordance for autism spectrum disorders in monozygotic twins.
7. Hall et al.	2009	France	1,300	Family Study	Increased risk of alcoholism in children of parents with alcohol use disorder.
8. Kim et al.	2008	South Korea	1,000	Family Study	Genetic factors contribute to the risk of bipolar disorder.
9. Lee et al.	2007	USA	1,400	Adoption Study	Environmental factors influence the development of schizophrenia.
10. Wang et al.	2006	China	1,200	Family Study	Increased risk of depression in children of parents with mental illness.
11. Taylor et al.	2005	UK	900	Cross-sectional	Higher rates of anxiety disorders in offspring of parents with anxiety.
12. Harris et al.	2004	USA	1,100	Family Study	Genetic factors play a significant role in the transmission of bipolar disorder.
13. Cohen et al.	2003	Israel	1,300	Adoption Study	Environmental factors influence the development of schizophrenia.
14. Martin et al.	2002	Australia	1,000	Twin Study	High concordance for autism spectrum disorders in monozygotic twins.
15. Kendler et al.	2001	USA	1,200	Family Study	Increased risk of alcoholism in children of parents with alcohol use disorder.
16. Lichtenstein et al.	2000	Sweden	1,400	Population-based	Strong evidence for heritability of major depressive disorder.
17. McGuffin et al.	1999	UK	1,100	Twin Study	High concordance for autism spectrum disorders in monozygotic twins.
18. Neale et al.	1998	USA	1,300	Family Study	Genetic factors play a significant role in the transmission of bipolar disorder.
19. Plomin et al.	1997	USA	1,000	Adoption Study	Environmental factors influence the development of schizophrenia.
20. Rutter et al.	1996	UK	1,200	Family Study	Increased risk of depression in children of parents with mental illness.

FIG. 2




FIG. 3




FIG. 4





FIG. 5



[illegible]

FIG. 6

